

# PRICE LIST

## GRAPHIC and GRAFLEX Cameras

### CENTURY GRAPHIC CAMERAS with film receptacle, focusing panel, and coated lens indicated

Focal Length	Approx. Equivalent	Lens	Speed	Shutter		Cat. No.	Price
<b>2 1/4 x 3 1/4 Century GRAPHICS with GRAFLOK Back</b>							
<b>EXCLUDING OPTICAL VIEWFINDER</b>							
103 mm.	4 1/16"	Trioptar	f/4.5	cs	With Cat. #1212 sheet film holder	CY-71	\$ 99.50
103 mm.	4 1/16"	Trioptar	f/4.5	cs	With Cat. #1246 roll film holder	CY-713	115.40
<b>INCLUDING OPTICAL VIEWFINDER INSTALLED</b>							
103 mm.	4 1/16"	Trioptar	f/4.5	cs	With Cat. #1212 sheet film holder	CY-70	106.50
103 mm.	4 1/16"	Trioptar	f/4.5	cs	With Cat. #1246 roll film holder	CY-703	122.40
101 mm.	4"	Kodak Ektar	f/4.5	gss	With Cat. #1212 sheet film holder	CY-724	137.50
101 mm.	4"	GRAFLEX Optar	f/4.5	gxs	With Cat. #1212 sheet film holder	CY-734	146.25

### PACEMAKER GRAPHIC CAMERAS with one holder, focusing panel, and coated lens indicated

Focal Length	Approx. Equivalent	Lens	Speed	Shutter	Cat. No.	Price	Cat. No.	Price
<b>2 1/4 x 3 1/4 GRAPHICS with GRAFLOK Back</b>								
101 mm.	4"	GRAFLEX Optar	f/4.5	gxs	<b>Crown Graphic "23"</b>		<b>Speed Graphic "23"</b>	
101 mm.	4"	Kodak Ektar	f/4.5	gss	C-734	\$170.25	S-734	\$208.25
105 mm.	4 1/8"	Kodak Ektar	f/3.7	gss	C-724	161.50	S-724	199.50
					C-754	194.35	S-754	232.35
<b>2 1/4 x 3 1/4 GRAPHICS with GRAFLEX Back</b>								
101 mm.	4"	GRAFLEX Optar	f/4.5	gxs	<b>Crown Graphic "23"</b>		<b>Speed Graphic "23"</b>	
101 mm.	4"	Kodak Ektar	f/4.5	gss	CX-731	\$161.25	SX-731	\$199.25
105 mm.	4 1/8"	Kodak Ektar	f/3.7	gss	CX-722	152.50	SX-722	190.50
					CX-75	185.35	SX-75	223.35
<b>3 1/4 x 4 1/4 GRAPHICS with GRAPHIC or GRAFLEX Back</b>								
135 mm.	5 1/4"	GRAFLEX Optar	f/4.7	gxs	<b>Crown Graphic "34"</b>		<b>Speed Graphic "34"</b>	
135 mm.	5 1/4"	GRAFLEX Optar	f/4.7	gxx	C-83	\$179.35	S-83	\$217.35
127 mm.	5"	Kodak Ektar	f/4.7	kxs	C-831	161.85	S-831	199.85
152 mm.	6"	Kodak Ektar	f/4.7	kxs	C-857	161.50	S-857	199.50
					C-862	186.00	S-862	224.00
<b>4 x 5 GRAPHICS with GRAPHIC or GRAFLEX Back</b>								
***135 mm.	5 1/4"	GRAFLEX Optar	f/4.7	gxs	<b>Crown Graphic "45"</b>		<b>Speed Graphic "45"</b>	
***135 mm.	5 1/4"	GRAFLEX Optar	f/4.7	gxx	C-93	\$185.35	S-93	\$225.35
***127 mm.	5"	Kodak Ektar	f/4.7	kxs	C-931	167.85	S-931	207.85
152 mm.	6"	Kodak Ektar	f/4.5	kxs	C-957	167.50	S-957	207.50
					C-962	192.00	S-962	232.00

For GRAFLEX Back Insert the letter X in Cat. No.; e.g. SX-831; GRAFLEX Focusing Panel Included.

\*\*\*Although 6" approximates the diagonal of a 4 x 5 negative, many news photographers and other GRAPHIC users prefer the greater angular coverage and depth of field of 127 mm and 135 mm lenses (5" and 5 1/4") stopping down to make the corners sharp or ignoring the slight unsharpness at the corners at full aperture. The same is true of 11.5 cm (4 1/2") lenses on the 3 1/4 x 4 1/4 GRAPHIC Cameras.

Shutter Symbols: gxs—Graphex Shutter with built-in synchronization.

gxx—Graphex (X) Shutter.

gss—Supermatic Shutter with built-in synchronization

kxs—Supermatic (X) Shutter.

cs—Century Shutter.

## ACCESSORIES FOR GRAPHICS

### RANGEFINDERS AND ACCESSORIES

Cat. No.		Price
3140	Kalart Prism Rangefinder for Century and Pacemaker GRAPHICS, installed (Specify Camera and Lens) . . .	\$41.50 △
3173	Kalart Focuspot Model A-1 for Use with GRAFLITE Battery Case . . . . .	15.25 △
3301	Hugo Meyer Series P Rangefinder for GRAPHIC "34" and "45" installed (Specify Camera and Lens) . . . .	41.50
3373	Hugo Meyer Focalite, for Series P Rangefinders and GRAFLITE Battery Case . . . . .	15.00

### GRAFLITE MOUNTING PLATES AND BRACKETS FOR GRAPHIC CAMERAS

Cat. No.		Price
2753	Rangefinder Encircling Bracket for Pacemaker "34's" and "45's" with rangefinder . . . . .	2.65
2755	Mounting plate for Pacemaker GRAPHICS without rangefinder . . . . .	2.10
2758	L-Bracket for GRAPHIC Cameras not readily accepting 2754, 2753 or 2755 . . . . .	2.80

△ These are accessories accepted by the Century GRAPHIC.

Additional accessories listed on following pages.

## GRAPHIC AND GRAFLEX FILM AND PLATE ATTACHMENTS

	2 1/4 x 3 1/4		3 1/4 x 4 1/4		4 x 5	
	Cat. No.	Price	Cat. No.	Price	Cat. No.	Price
GRAPHIC Film Pack Adapter.....	1232△	\$ 7.65	1233	\$ 8.65	1234	\$ 9.65
GRAPHIC "23" Roll Film Holder.....	1246△	19.95	—	—	—	—
GRAPHIC "22" Roll Film Holder.....	1249△	19.95	—	—	—	—
GRAPHIC Sheet Film Holder.....	1212△	4.05	1213	4.15	1214	4.40
GRAPHIC Plate Holder.....	—	—	—	—	1224	5.60
GRAFLEX Film Pack Adapter.....	1132	7.65	1133	8.65	1134	9.65
GRAFLEX "23" Roll Film Holder.....	1146	19.95	—	—	—	—
GRAFLEX "22" Roll Film Holder.....	1149	19.95	—	—	—	—
GRAFLEX Sheet Film Holder.....	1112	4.95	1113	5.35	1114	5.95
GRAFLEX Plate Holder.....	1122	4.95	1123	5.35	1124	5.95
GRAFLEX Sheet Film Magazine.....	1152	26.00	1153	29.50	1154	33.00
GRAPHIC Lantern Slide Plate Holder (3 1/4 x 4).....	—	—	1227	5.60	—	—

## GRAFLITE FLASH EQUIPMENT

### Unit for Shutters with Built-in Synchronization

	Cat. No.	Model	Price
2-cell with 5" reflector	2725	GRAFLITE No. 25 Unit	\$25.95†△
2-cell with 7" reflector	2727	GRAFLITE No. 27 Unit	24.95†
3-cell with 5" reflector	2735	GRAFLITE No. 35 Unit	27.45†
3-cell with 7" reflector	2737	GRAFLITE No. 37 Unit	26.45†

†Does not include Cord or mounting plate

### Complete Synchronizers for Shutters Utilizing Solenoid Synchronization

Cat. No.	Model	Price
(Price Includes Installation)		
2736	GRAFLITE No. 35 Synchronizer	\$42.15*
2738	GRAFLITE No. 37 Synchronizer	41.15*

\*Includes installation but no mounting plate.

## GRAFLITE ACCESSORIES AND REPLACEABLE PARTS

### CONNECTING CORDS

Cat. No.	Price	Cat. No.	Price
2701 20" GRAFLITE Synchronized Shutter (ASA double post) cord**.....	\$1.40△	2707 20" GRAFLITE Cord for Model G Switch.....	\$1.50
2702 36" GRAFLITE Synchronized Shutter (ASA double post) cord**.....	1.60	2708 Bayonet (ASA) Cord (Kodak, Ansco, etc)....	1.95
2703 17" GRAFLITE Solenoid Cord.....	1.20	2713 Shoe (A) Cord (Argoflex II, Argus 21).....	2.35
2704 36" GRAFLITE Solenoid Cord.....	1.60	2714 Cap (Continental) Cord.....	1.95
2705 16" GRAFLITE Twin Case Connector Cord....	1.05△	2716 Block Post Cord (Argus C-3).....	2.35
2706 15' GRAFLITE Extension Cord for Side Lighting Unit.....	1.50	2718 Shoe (B) Cord (Universal Cameras).....	2.35
		2719 Shoe (C) Cord (Stereo Realist).....	2.35
		2720 15' GRAFLITE Remote Control Cord with Momentary Switch.....	2.90

\*\*For GRAPHIC and GRAFLEX focal plane shutters and synchronized front shutters with double contact posts.

### GRAFLITE BRACKETS AND MOUNTING DEVICES

Cat. No.	Price	Cat. No.	Price
2753 Rangefinder Encircling Bracket for Pacemaker GRAPHICS with Kalart or Hugo Meyer Rangefinder.....	\$2.65	2755 Battery Case mounting bracket for Pacemaker and Anniversary GRAPHICS without rangefinder.....	\$2.10
2754 Battery Case mounting plate for GRAFLEX Cameras.....	1.10	2756 Pair of Pacemaker Handle Lugs, complete ...	.80△
2752 Rangefinder Encircling Bracket for Anniversary Speed GRAPHICS.....	2.65	2758 L-Bracket.....	2.80△
		2759 Platform Bracket.....	3.50

### GRAFLITE SIDE LIGHTING UNIT

2712 GRAFLITE Side Lighting Unit, including No. 2706, 15' extension cord, less reflector.....	16.00△
---	--------

### GRAFLITE REFLECTORS

2747 7" GRAFLITE reflector for medium base lamps..	\$6.50△	2746 Shield for 5" GRAFLITE and GRAFLEX reflectors	4.20△
2749 5" GRAFLITE adjustable reflector for bayonet base lamps.....	7.50△		

### GRAFLITE SOLENOID RELEASES

2531 No. 2 GRAFLEX Solenoid Release, less mount..	10.50
2532 No. 3 GRAFLEX Solenoid Release (for use with 3 cells only) less mount.....	10.50
Solenoid release mounts (type depends on model and size of camera and shutter).....	1.50

△These are accessories accepted by the Century GRAPHIC.

### GRAFLITE SUNDRY ACCESSORIES

2772 2-cell GRAFLITE Battery Case, with batteries and clamps.....	18.45
2773 3-cell GRAFLITE Battery Case, with batteries and clamps.....	19.95
2774 GRAFLEX 1-cell extension tube (may be used in multiple).....	1.50△
2771 Top and bottom clamps for GRAFLITE Battery Cases.....	4.50



## SUNDRY ACCESSORIES

	Mount	2¼ x 3¼		3¼ x 4¼		4 x 5	
		Cat. No.	Price	Cat. No.	Price	Cat. No.	Price
(2½") 65 mm. GRAFLEX W. A. Optar f/6.8.....	gxs	205 △	86.05 ‡	205	86.05 ‡	—	—
(3½") 90 mm. GRAFLEX W. A. Optar f/6.8.....	gxs	—	—	221	89.25	221	89.25
(3½") 88 mm. B.&L. Wide Angle Lens f/6.8.....	gxs	—	—	319	121.50	319	121.50
80 mm Kodak Wide Field Ektar f/6.3.....	gss	121 △	118.00	121	118.00	—	—
100 mm Kodak Wide Field Ektar f/6.3.....	gss	—	—	135	125.00	135	125.00
(10") 25 cm. GRAFLEX Tele-Optar f/5.6.....	bm	281	140.00	281	140.00	281	140.00
Metal Lensboard for above*.....		9156	.80	9178	.95	9188	1.05
(15") 38 cm. GRAFLEX Tele-Optar f/5.6.....	bm	—	—	—	—	291	201.25
Metal Lensboard for above*.....		—	—	—	—	9189	1.05
(10") 25 cm. GRAFLEX Tele-Optar f/5.6 in No. 3 GRAPHEX Shutter.....		282 △	158.35	282	158.35	282	158.35
Metal Lensboard for above*.....		9157 △	.80	9174	1.20	9184	1.30
Blank metal lensboards*.....		9151 △	.80	9171	.95	9181	1.05
Lensboards for standard shutters.....		†	1.05	†	1.20	†	1.30
Adapter for Pacemaker GRAPHIC "45" Lensboards (for 4 x 5 Anniversary GRAPHICS).....		—	—	—	—	9230	5.85
GRAFLOK Back less 4-sided viewing hood, for Pace- maker GRAPHICS.....		9292	14.95	—	—	—	—
GRAFLEX Focusing Panel (with 4-sided removable hood).....		9142	10.20	9143	10.50	9144	11.10
GRAFLEX Dividing Back.....		—	—	—	—	9014	27.00
Compact Carrying Case—Speed and Crown GRAPHIC.....		—	—	4213	16.00	4214	16.00
Vulcanoid Handicase.....		4212 △	16.00	4236	17.00	4246	18.00
Compact Carrying Case—Century and Crown GRAPHICS with a few holders and small accessories.		4224 △	13.70	—	—	—	—
Custom Case—Fine Leather, velvet lined, for Speed and Crown GRAPHICS.....		4228 △	42.50	4238	47.50	4238	47.50
GRAPHIC Pan Tilt Tripod Head for GRAPHIC- GRAFLEX Cameras.....		4610 △	19.75	4610	19.75	4610	19.75

Shutter Symbols: gxs—Graphex Shutter with built-in synchronization. gss—Supermatic Shutter with built-in synchronization  
gxx—Graphex (X) Shutter. kxs—Supermatic (X) Shutter.

Note: All lenses have coated elements

\*For lensboards to fit older model cameras see your GRAFLEX Dealer.

†Specify lens and shutter combination to be used.

‡Not for use with Speed Graphic "23" or "34"

bm—Barrel Mount.

## GRAFLEX CAMERAS

All listing include Film Pack Adapter

	Cat. No.	Price
2¼ x 3¼ Revolving Back Series B GRAFLEX including Kodak Ektalite Field Lens and fitted with 127 mm (5") Kodak Ektar lens in barrel with click stops f/4.5.....	L-221	\$124.50
3¼ x 4¼ Revolving Back Super D GRAFLEX including Kodak Ektalite Field Lens and fitted with 152 mm (6") Kodak Ektar lens in automatic diaphragm mount f/4.5.....	L-321	199.00
with 190 mm (7½") Kodak Ektar lens in automatic diaphragm mount f/5.6.....	L-331	199.00
4 x 5 Revolving Back Super D GRAFLEX including Kodak Ektalite Field Lens and fitted with 190 mm (7½") Kodak Ektar lens in automatic diaphragm mount f/5.6.....	L-431	209.00

## ACCESSORIES FOR GRAFLEX

	2¼ x 3¼		3¼ x 4¼		4 x 5	
	Cat. No.	Price	Cat. No.	Price	Cat. No.	Price
25 cm (10") GRAFLEX Tele-Optar f/5.6 lens.....(bm) §	281	\$140.00	281	\$140.00	—	—
38 cm (15") GRAFLEX Tele-Optar f/5.6 lens.....(bm) §	—	—	—	—	291	\$201.25
Lensboard for above telephoto lenses.....	(not required)		9201	1.05	9217	3.75
DeLuxe Tan Carrying Case.....	—	—	4138	29.65	4148	29.65
Black Grain Leather Carrying Case.....	4124	16.00	—	—	—	—
No. 27 GRAFLITE Unit (2-cell battery case, 7" reflector only)	—	—	2727	24.95	2727	24.95
No. 25 GRAFLITE Unit (2-cell battery case, 5" reflector only)	2725	25.95	2725	25.95	2725	25.95
GRAFLITE mounting plate (for attaching battery cases to camera)	2754	1.10	2754	1.10	2754	1.10
20" GRAFLITE Synchronized Shutter Cord.....	—	—	2701	1.40	2701	1.40
Mendelsohn Model G Synchronizer Switch for Open Flash Synchronization with R.B. Series B.....	2234	4.90	(not required)		(not required)	
GRAFLITE Model G Switch Cord.....	2707	1.50	(not required)		(not required)	

GRAFLEX Roll Film Holders and other Film attachments, and GRAFLITE flash accessories listed on page 3.

§bm—Barrel Mount.

# GRAPHIC VIEW CAMERA

## 4 x 5 GRAPHIC VIEW II CAMERA

Including any one of the four backs listed below, 1 film holder, its pan-tilt base and Fibre Carrying Case designed and compartmented to hold the camera, base, 12 holders, additional lenses and accessories, without lens.....


With 152 mm (6") Kodak Ektar f/4.5 lens, kxs.....

With 203 mm (8") Kodak Ektar f/7.7 lens, gss.....


Cat. No.	Price
R-16	\$145.00
R-9632	\$232.00
R-9842	\$222.50

## ACCESSORIES FOR GRAPHIC VIEW


3 1/2" (90 mm) GRAFLEX W. A. Optar f/6.8, gxs.....	221	\$ 89.25
100 mm (4") Kodak Wide Field Ektar f/6.3, gss.....	135	125.00
Recessed metal lensboard for 90 mm W. A. lens.....	9234	3.75
Extra 4 x 4 metal lensboard for GRAPHIC View Camera.....	9231	3.75
Accordion-type lensshade.....	9265	19.95
Lensboard adapter to accept Pacemaker GRAPHIC "45" lensboard.....	9230	5.85
4x5-4x5 GRAPHIC Back (less holder).....	9266	19.95
4x5-3 1/4x4 1/4 GRAPHIC Back (less holder).....	9267	19.95
4x5-4x5 GRAFLEX Back (with focusing panel less holder).....	9268	19.95
4x5-3 1/4x4 1/4 GRAFLEX Back (with focusing panel less holder).....	9269	19.95



A. Graphex Synchronized Shutter



B. Supermatic "X" Shutter



C. Century Shutter

A. The **synchronized shutters** (gxs) (gss) are rim-set, cocking type shutters, providing a speed range from one to 1/400 sec. (1/200 in No. 3 shutter), including "T" and "B." Internal contacts and adjustments are provided for the type "X," type "F" and type "M" flash lamps. The GRAPHEX Synchro shutter (gxs) has a double "M" setting to provide optimum efficiency at the fast as well as the slow speeds with the type "M" flash lamps. An accessory solenoid may be fitted to the GRAPHEX shutter if desired.

B. The **"X" shutters** (gxx) (kxs) are rim-set, cocking type shutters providing a speed range from one to 1/400 sec. (1/200 in No. 3 shutter). Internal contacts are built-in to provide synchronization with the type "X" high speed electronic flash equipment. For synchronization with the type "M" flash lamps, an accessory solenoid should be used. This solenoid may also be used with the high speed electronic flash equipment operated by a built-in relay.

Type "X". . . . . High Speed Electronic Units Not Tripped By Relay  
Type "T" (5 millisecond)—Gas Filled . . . . . "SM," "SF"  
Type "M" (20 millisecond)—Wire or Foil Filled . . . . . No. 5, No. 25,  
No. 11, No. 22, No. 2, Press 40, etc.

C. The **Century Graphic shutter** (cs) is a self-setting shutter providing speeds from 1/10 to 1/200 sec., including "T" and "B." Automatic internal synchronization is accomplished at all speeds as follows:  
1/200, 1/100, 1/50  
"SM" and "SF" flash lamps only (type "F")  
1/25, 1/10  
No. 5, No. 25, No. 22, press 40, etc. (type "M")  
Dual post type connecting cord for synchronization should be attached to the "shutter" or series outlet of the battery case.

Bayonet base  
Bayonet base  
Screw base

Sept. 1, 1949 ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

New York Sales and Service Offices  
50 Rockefeller Plaza, Suite 922  
New York 20, N. Y.

**GRAFLEX, INC.**  
ROCHESTER 8, N. Y., U. S. A.

Western Division  
3045 Wilshire Blvd.  
Los Angeles 5, Calif.